BIBLIOGRAFÍA

Abbas, TE. 2012. Phytogenic Feed Additives as a Coccidiostat in Poultry. Bull. Environ. Pharmacol. Life Sci.; Volume 1 (7): 22 – 24

Acamovic, T., Brooker JD. 2005. Biochemistry of plant secondary metabolites and their effects in animals. Proceding of the Nutrition Society. 64: 403-412

Alcaino, H., González, JP., Fredes, F., & Gorman, T. 2002. Coccidias aviares de gallineros industriales de Chile. *Parasitología latinoamericana*, *57*(1-2), 34-39. https://dx.doi.org/10.4067/S0717-77122002000100009

Alo, T., Pierce, JL., Power, R., Pescatore, AJ., Cantor, AH., Dawson, KA., Ford, MJ. 2009. Effects of feeding different forms of zinc and copper on the performance and tissue mineral content of chicks. Poultry Science, 88:2171-2175.

Alves Vieira, R. 2012. Evaluación de minerales quelatados y levaduras de selenio (Bioplex TR SE) en la alimentación de pollos de engorde. Tesis Ph.D., Brazil, Universidad Federal de Vicosa. 10 p.

Avato, P., Bucci, R., Tava, A., Vitali, C. Rosato A., Bialy Z., and Jurzysta, M. 2006. Antimicrobial activity of saponins from Medicago spp.: Structure-activity relationship. Phytother. Res. 20:454-457.

Bafundo, K., Mathis, G., and Lumpkins, B. 2014. Phibro Animal Health Corp., Teaneck, NJ, Southern Poultry Research Inc., Athens, GA. Poult. Sci. 93 (E-Suppl. 1).

Baños, A., Guillamón, E. 2014. Utilización de extractos de ajo y cebolla en producción avícola. Selecciones avícolas, ISSN 0210-0541, Vol. 56, Nº. 1, 2014 (Ejemplar dedicado a: Especial Alimentación), págs. 7-9.

Batallé, M. 2006. Nuevas alternativas para el control de la coccidiosis aviar. Trabajo final de aplicación UNLu.

Berchieri, A., Nepomuceno Silva, E., Di Fábio, J. Sesti, L., Fagnani Zuazane, MA. 2009. Doenças das Aves. Segunda edição. Apinco fundação de ciência e tecnologia avícola. Campinas, SP.

Bianchi G., Pozzi, N., Vlahov, G. 1994. Pentacyclic triterpene acids in olives. Phytochemistry 37:205–207

Bianchi, G. 2003. Lipids and phenol sintable olives. Eur J Lipid Sci Technol 105:229–242.

Boero, JJ. 1969. Terapeutica antiparasitaria. Eudeba. Buenos Aires.

Braunius, W.W. 1986. Epidemiology of *Eimeria* in broilers in relation to anticoccidial drugs. Archiv ur Geflu gelkunde, 50, 88-93.

Braunius, W.W. 1988. Epidemiology of *Eimeria* in broilers under the influence of anticoccidial drugs. Tijdschrift voor Diergeneeskunde. 113, 3: 123-131.

Bun SD., Guo, YM., Guo, FC., Ji, FJ. and Cao, H. 2011. Influence of organic zinc supplementation on the antioxidant status and immune responses of broilers challenged with *Eimeria tenella*. Poultry Science 90 :1220–1226.

Calnek 1997 BW., 1997. Diseases of poultry University Press Ames Iowa, Usa tenth edition.

Castañón, CA., Fraga, JS., Fernandez, S., Gruber, A., & Costa, LDF. 2007 Biological shape characterization for automatic image recognition and diagnosis of protozoan parasites of the genus *Eimeria. Pattern Recognition*, *40*(7), 1899-1910.

Cejas, M., Pinto, S., Prosdócimo, F., Batallé, M., Barrios, H., Tellez, G. y De Franceschi, M. 2011. Evaluation of Quebracho Red Wood (*Schinopsis lorentzii*) PolyphenolicVegetable Extract for the Reduction of Coccidiosis in Broiler Chicks. International Journal of Poultry Science 10 (5): 344-349, 2011. ISSN 1682-8356

Chapman, H., y Cherry, T. 1997. Eyespray vaccination: infectivity anddevelopment of immunity to *Eimeria acervulina* and *Eimeria tenella*. J Appl Poult Res; 6: 274–278.

Chapman HD. 1997. Biochemical, genetic and applied aspects of drug resistance in *Eimeria* parasites of the

Chapman, HD. 1985. Drugs resistance in coccidia: recent research. Proceedings of Georgia Coccidiosis Conference: 330-347.

Chapman, HD. 1992. Research Note: Inmunity to *Eimeria* in Broiler Reared on Nicarbazin and Salinomicyn. Poultry Science, 71: 577-589.

Cheeke, PR. 1998. Natural Toxicants in Feeds, Forages and Poisonous Plants. Upper Saddle River, Prentice-Hall, NJ.

Cheng, K., Zhang, P., Liu, J., Xie J., Sun, H. 2008. Practical synthesis of bredemolic acid, a natural inhibitor of glycogen phosphorylase. J Nat Prod 11:1877–1880.

Conway, DP., McKenzie, MH. 2007. Poultry coccidiosis, diagnostic and testing producers 3ª Ed.

Conway, DP. 1996. Managing anticoccidial programs. Suplement of World Poultry. Coccidiosis. 2: 35 – 36.

Conway, DP., Dayton, AD. 1997. Comparative testing of antococcidials; the role of coccidial lesion scores. Control of Coccidiosis into the Next Millennium. M.W. Shirley, F.M. Tomley; B.M. Freeman, eds. VII International Coccidiosis Conference. Institute for Animal Health, Compton.

Dalloul, RA., Lillehoj, H.S., 2006. Poultry coccidiosis: recent advancements in control measures and vaccine development. Expert Rev. Vaccines 5, 143–163.

De Araùjo, SAC., Teixeira, MFS., Dantas, TUM., et al. 2009. Usos potenciais de *Melia azedarach* (Meliaciae): Um levantamento. Arq. Inst. Biol. Sao Paulo.; 76(1):141-8.

De Franceschi, M. 2015 a. Coccidiosis. Main challenges in poultry farming. Editorial SERVET.

De Franceschi, M. 2015 b. Presentación coccidiosis aviar. Especialización en Producción Avícola. UNLu.

De Franceschi, M. Cumbre Avícola Latinoamericana. 27 de enero 2020. IPPE. Atlanta USA.

De Franceschi, M. E. 2004. Coccidiosis subclínica en pollos parrilleros. Estudio epidemiológico y consecuencias de su asociación con *Salmonella* Enteritidis. Tesis de doctorado. Universidad Nacional de Luján.

De Franceschi, M., Iglesias, B. y Pinto, S. 2011. Congerso Latinoamenricano de Avicultura. Ciudad de Buenos Aires, Argentina. 2011.

De Pablos, LM., Brazil Do Santos, MF., Montero, E., García Granados, A., Parra, A. and Osuna, A. 2010. Anticoccidial activity of maslinic acid against infection with Eimeria tenella in chickens. Parasitology Research, 107: 601-604.

Deluchi, P. 2007. Estudio de la transmisión de la coccidiosis en pollos parrilleros por el coleóptero *Alphitobius diaperinus.* Tesis de grado. UNLu.

Denegri, G. 2002. El concepto de potencialidad del fenómeno parasitario y su aplicación al estudio de las relaciones parásito-hospedador: un análisis epistemológico. Natura Neotropicalis 33 (1Y 2): 65-69.

Dibner, J. 2005. Early Nutrition of Zinc and Copper in Chicks and Poults Impact on Growth and Immune Status in *Proceedings of the* 3rd Mid-Atlantic Nutrition Conference. Timonium, Maryland.

Dieck, HT., Doring, F. y Roth, HP. 2003. Changes in rat hepatic gene expression in response to zinc deficiency as assessed by DNA arrays. Journal of Nutrional Science 133:1004-1010.

Dowling, L. 1992 Ionophore toxicity in chickens: a review of pathology and diagnosis. Avian Path. 21: 355-368.

Eckman, M.K. 1993. Horizontal vs. vertical health programs in broiler production. Poultry Digest; 52(8):16-22

Ferkel, P., Santos, A. Jr., Oviedo-Rondon, E. 2005. Dietary factors that affect gut health and pathogen colonization. 32nd Annual Carolina Poultry Nutrition Conference. Research Triangle Park, North Carolina, USA: 1-22.

Font Quer, P. 1999. Plantas medicinales. El Dioscorides Renovado. Ed. Península.

Fowler, NG. 1995. Anticoccidial compendium. Manual de Janssen Pharmaceutica. Animal Health.

Garcia-Granados, A. 2008. Utilización de ácido maslínico como antiparasitario frente a protozoos del Phyllum Apicomplexa. Madrid: Oficina española de patentes y marcas. Universidad de Granada.

Giannenas, L., Florou-Paneri, P., Papazahariadou, M., Christaki, E., Botsoglou, N.A., Spais, AB. 2003. Effect of dietary supplementation with oregano essential oil on performance of broiler after experimental infection with Eimeria tenella. Archives of Animal Nutrition. 2003; 57: 99-106;

González, H. De Franceschi, M. Bustos, M. Barrios, H. 2001. Test de eficacia de Nicarbacina en pollos parrilleros según normas del Mercosur.Congreso Latinoamericano de Avicultura. Guatemala.

González, H.; De Franceschi, M.; Barrios, H. 2005. Identificación de especies de coccidios en pollos parrilleros de Buenos Aires y Entre Ríos. Revista de Medicina Veterinaria. 86, 4: 154-160.

González, H; Prosdócimo, F; Barrios, H; De Franceschi, octubre 2000. Coccidiosis subclínica en pollos parrilleros: dosis experimental y evaluación zootécnica. M. 23º Congreso de la Asociación Argentina de Producción Animal. Corrientes.

Guneratne, JMR., Gard, DI. 1991. A comparison of tree continuous and four shuttle anticoccidial programs. Poult. Sci. 70:1888-1894.

Hamet, N. 1989. Relation between the mode of action and resistance to anticcidial drugs. Coccidia and Intestinal Coccidimorphs. P. Yvore, ed. Proceddings of the V International Coccidiosis Conference. Tours, France: 327-328.

Hassan, SM., El-Gayar AK., Cadwell, DJ., Bailey, CA. and Cartwright, AL. 2008. “Guar meal ameliorates *Eimeria tenella* infection in broiler chicks,” Veterinary Parasitology, vol. 157, no. 1-2, pp. 133–138, 2008.

Hassan, SM., Gutierrez, O. Haq, AU. Byrd, JA. Bailey, CA. and Cartwright, AL. 2007. Saponin-rich extracts from quillaja, yucca, soybean, and guar differ in antimicrobial and hemolytic activities. Poult. Sci. 86:121. (Abstr.)

Helander, I., Alakomi, H., Latva-Kala, K. 1998. Characterization of the action of selected essential oil components on Gram-negative bacteria. Journal of Agricultural and Food Chemistry.; 46: 3590-95.

Henken, AM. 1994. Description of a simulation model for the population dynamics of *Eimeria acervulina* infection in broilers. Parasitology; 108: 503-512.

Hernández, VX., y Petrone, GV. 2005. Sistema de producción animal I. Aves. Volumen II. Capitulo VII. UNAM. Facultad de Medicina Veterinaria y Zootécnica. Pp. 139 – 166.

Hou, W., Li, Y., Zhang, Q., Wei, X., Peng, A., Chen, L., Wei, Y. 2009. Triterpene acids isolated from Lagerstroemia speciosa leaves as alpha-glucosidase inhibitors. Phytother Res 23:614–618.

Jeffers, TK. 1975. Attenuation of *Eimeria tenella* through selection for precociousness. J Parasitol 61: 1083–1090.

Johnson, W. 1932. Immunity to coccidiosis in chickens, produced by innoculation through the ration. J Parasitol 19: 106–161.

Jovel, EM., Zhou XL., Ming, DS., Wahbe, TR., Towers, GH. 2007 Bioactivity-guided isolation of the active compounds from *Rosa nutkana* and quantitative analysis of ascorbic acid by HPLC. Can J Physiol Pharmacol 85:865–871

Joyner, P. L. 1982. Host especifity*." In the biology of the coccidia"* (P. L. Long, ed.) University Park Press. Baltimore, pp 36–62.

Juan, ME., Planas, JM., Ruiz-Gutierrez, V., Daniel, H., Wenzel, U. 2008 Antiproliferative and apoptosis-inducing effects of maslinic and oleanolic acids, two pentacyclic triterpenes from olives, on HT- 29 colon cancer cells. Br J Nutr 100:36–43.

Juven, B. Kanner, j. Schved, F., Weisslovicz, H. 1994.Factors that interact with the antibacterial action of thyme essential oil and its active constituents. Journal of Applied Bacteriology; 76: 626-31.

Kamel, LC. 2000. A novel look at a classic approach of plant extracts. Feed mix 8(3), 16-18

Kidd, MT., Ferdet PR., and Garlich, JD. 1997. Nutritional and osmoregulatory functions of betaine. World's Poultry Science Journal 53:125-139.

Kim, D., Lillehoj, H., Lee, S., Lillehoj, E., & Bravo, D. 2013. Improved resistance to *Eimeria acervulina* infection in chickens due to dietary supplementation with garlic metabolites. *British Journal of Nutrition, 109*(1), 76-88. doi:10.1017/S0007114512000530

Kumar, S., Pandey, AK. Chemistry and biological activities of flavonoids: an overview. ScientificWorldJournal. 2013. Dec 29;2013:162750. doi: 10.1155/2013/162750. PMID: 24470791; PMCID: PMC3891543.

Leeson, S., Summers, JD. Scott's Nutrition of the Chicken. 2001. 4th Ed. University Books, Guelph, Ontario.

Levine, N. 1961. Protozoan parasites in domestic animals and man. Burgess Publishing Co. Minneapolis. Minnesota.

Lillehoj, HS. 1987. Effects of immunosuppression on avian coccidiosis: cyclosporin A but not hormonal bursectomy abrogates host protective immunity. Infect. Immun. 55, 1616–1621.

Lillehoj, HS. 1989. Intestinal intraepithelial and splenic natural killer cell responses to eimerian infections in inbred chickens. Infect. Immun. 57, 1879–1884.

Lillehoj, HS., Lee, KW. 2012. Immune modulation of innate immunity as alternatives-to-antibiotics strategies to mitigate the use of drugs in poultry production. Poult. Sci. 91, 1286–1291.

Long, PL. & Reid, W. 1982. A guide for the diagnosis of coccidiosis in chickens. Rev. Report 404 (Report 355, revised) Athens, GA. College of Agriculture Experimental Station, Univ. Of Georgia (USA).

Long PL. 1974. Further studies on the pathogenicity and immunogenicity of an embryo-adapted strain of *Eimeria tenella*. Avian Pathol 1974; 3: 255–268.

Long, PL. 1972. *Eimeria tenella*: reproduction, pathogenicity and immunogenicity of a strain maintained in chick embryos by serial passage. J Comp Pathol 1972; 82: 429–437.

Mahato, SB., Sudip, SK., and Poddar G. 1988. Review article number 38: Triterpenoid saponins. Phytochem. 27:3037-3067.

Martin, AG., Danforth HD., Barta JR. & Fernando MA. 1997. Analysis of immunological cross-protection and sensitivities to anticoccidial drugs among five geographical and temporal strains of *Eimeria maxima*. Int J Parasitol 27: 527–533.

Matthews, JO., Ward, TL. y Southern, LL., 1997. Interactive effects of betaine and monensin in uninfected and Eimeria acervulina-infected chicks. Poult. Sci. 76:1014-1019.

Mattiello, R., Doti, F., Bovidez, J.Muruzeta, A., Ruiz, J. 1990. Método de diagnóstico de la coccidiosis subclínica por raspajes seriados de la mucosa intestinal. Proc. of. VIII European Poultry Conference. Barcelona, España: 595 – 598.

Matiello. R. 1998. Subclinical coccidiosis broilers. Chapter I. Zootecnical evaluationof subclinical coccidiosis. Survey of avian coccidiosis on poultry farms fo Buenos Aires province, Argentina. Tesis de doctorado de la Facultad de Ciencias Veterinarias UBA.

McDougald, LR., Reid, WM. 1997. Coccidiosis. In: Calnek BW, Barnes HJ, Beard CW, McDonald LR, Saif YM, editors. Diseases of poultry. 10. Ames: Iowa State University Press. pp. 865–883

McDougald, L. R. 2003. Coccidiosis. In Diseases of Poultry. 11th Ed. Iowa State Press, Blackwell Publishing Company, USA. 974-991 p.

Mendes, A.A.; Macari, M.; De Alentar Nääs, I. 2004. Produção de Frangos de corte. Ed FACTA. Brasil.

Montilla, MP., Agil, A, Navarro MC., Jiménez MI., García-Granados, A., Parra A, Cabo, MM. 2003 Antioxidant activity of maslinic acid, a triterpene derivative obtained from Olea europaea. Panta Med 69:472–474.

Muthamilselvan, T., Fen Kuo, T., Yue-Chen Wu, Y. and Yang, WC. 2016. Herbal Remedies for Coccidiosis Control: A Review of Plants, Compounds, and Anticoccidial Actions. Hindawi Publishing Corporation Evidence-Based Complementary and Alternative Medicine Volume 2016, Article ID 2657981, 19 pages http://dx.doi.org/10.1155/2016/2657981

Numata, A., Yang, P., Takahashi, C., Fujiki R., Nabae, M., Fujita, E. 1989. Cytotoxic triterpenes from a Chinese medicine, Goreishi. Chem Pharm Bull (Tokyo). Mar;37(3):648-51. doi: 10.1248/cpb.37.648. PMID: 2752475.

Olukosi, OA., Dono, ND. 2014. Modification of digesta pH and intestinal morphology with the use of benzoic acid or phytobiotics and the effects on broiler chicken growth performance and energy and nutrient utilization, Journal of Animal Science, Volume 92, Issue 9, September, Pages 3945–3953, https://doi.org/10.2527/jas.2013-6368

Parra, A., Rivas F., Lopez, PE., Garcia-Granados, A., Martinez. A., Albericio F., Marquez N, Muñoz, E. 2009. Solution- and solid-phase synthesis and anti-HIVactivity of maslinic acid derivatives containing amino acids and peptides. Bioorg Med Chem 17:1139–1145.

Pinto, S. 2019. Respuesta de la acción de promotores de crecimiento sobre la mucosa intestinal de pollos parrilleros desafiados con bacterias y coccidios. Tesis doctoral. UNLu.

Plano, CM. 2004. Nitrofuranos y sus metabolitos como residuos. Capia Informa. 200: 3-8.

Powell, SR. The antioxidant properties of zinc. J Nutr. 2000 May; 130 (5SSuppl):1447S-54S. doi: 10.1093/jn/130.5.1447S. Review. PubMed PMID: 10801958.

Rakhmani, SI., Wina, E. and Pasaribu, T. 2014. Preliminary study on several indonesian plants as feed additive and their effect on *Eimeria tenella* oocystes, in Proceedings of the 16th AAAP Animal Science Congress, vol. 2, Yogyakarta, Indonesia, 2014.

Ravindran, V. 2010. Aditivos en Alimentación Animal. Memorias XXVI Curso de Especialización FEDNA.

Official Journal of the European Union. 2003. Regulation 1831/2003 on additives for use in animal nutrition.

Rose, ME. 1967. The influence of age of host on infection with *E. tenella*. J Parasitol; 53: 924-929.

Rostagno, SH. 2017. Tablas Brasileñas para Aves y Cerdos. Composición de Alimentos y Requerimientos Nutricionales, 4a Edición. Universidad Federal de Viçosa Departamento de Zootecnia.

Sánchez-Hernández, C., Castañeda-Gómez del Campo, JA., Trejo-Castro, L., Mendoza-Martínez, GD., Gloria-Trujillo, A. 2019. Evaluation of a Feed Plant Additive for Coocidiosis Control in Broilers Herbals for Coccidiosis Control. Braz. J. Poult. Sci. vol.21 no.1 Campinas 2019 Epub May 09.

Sarica, S., Ciftci, A., Demir, E., Kilinc, K., Yildirim. Y. 2005. Use an fan antibiotic growth promoter and two herbal natural feed additives with and without exogenous enzymes in wheat based broiler diets. South African Journal of Animal Science 35: 235-43).

Sharman, PA., Smith, NC., Wallach, MG., & Katrib, M. 2010. Chasing the golden egg: vaccination against poultry coccidiosis. Parasite Immunology, 32, 590–598.

Shirley, MW., Bedrník, P. 1997. Live attenuated vaccines against avian coccidiosis: Success with precocious and egg-adapted lines of Eimeria. Parasitol Today. Dec;13(12):481-4. doi: 10.1016/s0169-4758(97)01153-8. PMID: 15275137.

Shirley, MW., Smith, AL., Tomley, FM. 2005. The biology of avian *Eimeria* with an emphasis on their control by vaccination. Adv Parasitol.;60:285-330. doi: 10.1016/S0065-308X(05)60005-X. PMID: 16230106.

Steiner, T. 2006. Managing Gut Health, Natural Growth Promoters as a Key to Animal Performance. Nottingham University Press.

Tomazic, ML; Delgado, F; Balbiani, F; Jauregui, GR; Schapiro, JH; Palacios, L; De Franceschi, ME; Rodríguez, AE. 2019. Detección y diferenciación molecular en simultáneo de especies de *Eimeria* spp. que infectan aves comerciales. IX Jornadas de Jóvenes Investigadores Facultad de Ciencias Veterinarias, UBA.

Tomley, FM., Clarke LE., Kawazoe, U., Dijkema, R & Kok, JJ. 1991. Sequence of the gene encoding an immunodominant micro- neme protein of Eimeria tenella. Mol. Biochem. Parasitol ;49: 277–288.

Tomley, FM., Bumstead JM, Billington KJ & Dunn PP. 1996. Molec- ular cloning and characterization of a novel acidic microneme protein (Etmic-2) from the apicomplexan protozoan parasite, Eimeria tenella. Mol Biochem Parasitol 79: 195–206.

Tomley, FM.. 1994. Characterization of rhoptry proteins of Eimeria tenella sporozoites: antigenic diversity of rhoptry epitopes within species of the genus Eimeria and among three asexual generations of a single species, E. tenella. Infect. Immun. 62: 4656–4658.

Tyzzer, E., Theiler, H. & Jones, E. 1932. Coccidiosis in gallinaceous birds II. A comparative study of species of *Eimeria* of thechicken. Am J Hyg; 15: 319–393.

Tyzzer, E. 1929. Coccidiosis in gallinaceous birds. Am J Hyg; 10: 269–383.

Johnson, W. 1932. Immunity to coccidiosis in chickens, produced by innoculation through the ration. J Parasitol; 19: 106–161.

Underwood, EJ., Suttle, NF. 2001. The mineral nutrition of livestock. CABI Publishing, London, UK.

Vallee, BL. y Falchuk, KH. 1993. The biochemical basis of zinc physiology. Physiological Reviews. Vol. 73. January. Printed in USA.

Velarde, FD., Moreno Díaz, R., Galván Ochoa, P. 2001. Frecuencia de *Eimeria spp* en algunas granjas de la zona avícola de Tehuacán, Puebla, México. Vet. Méx., 32 (2) pp. 103 – 108.

Vermeulen, AN., Kok, JJ., van den Boogaart, P., Dijkema, R. & Claessens, JA. 1993. *Eimeria* refractile body proteins contain two potentially functional characteristics: transhydrogenase and car- bohydrate transport. FEMS Microbiol Lett. 110: 223–229.

Wiernusz, CJ., Teeter, RG. 1995. Nicarbazin Effects on Broiler Thermobalance During High Temperature Stress. Poultry Sci. 74: 577-580.

Xu, HX., Zeng, PQ., Wan, M., Sim, KY. 1996. Anti-HIV triterpene acids from *Geum japonicum*. J Nat Prod 59:643–645.

Yang, CR., Zhang, Y., Jacob, MR., Khan, S I. Zhang, Y. and X. Li, C. 2006. Antifungal activity of C-27 steroidal saponins. Antimicrob Agents Chemother. 50:1710-1714